CCS Technical Documentation
RH-13 Series Transceivers

Product Variants

Issue 1 11/02
©Nokia Corporation

Contents

Page No

Foreword 3
Transceiver RH-13 3
A-cover assembly and Digital Logo Label (Linus) of RH-13 (Variants) 4
Assembly Parts of RH-13 (Variants) 4

©Nokia Corporation

Foreword

This section of the service manual contains specific details for the RH-13 handportable telephone variants.

The chapter contains an exploded view of the RH-13 variants including a list of assembly parts covering the system module and the display module.

Note: The Service Manual is intended for use by qualified service personnel only.

Transceiver RH-13

This phone is a dualband version designed for TDMA markets.

Unit/type	Product code	Description
Nokia Default DG	0507074	Nokia default settings (no SIM lock), Digital co-label, Dynamic Grey
Cingular DG	0507077	Cingular settings (SIM lock), Cingular Co-label, Dynamic Grey
Microcell Canada (bulk) DG	0507161	Microcell settings (SIM lock), Fido Co-label, Dynamic Grey
Telcel Mexico DG	0507380	Telcel settings (SIM lock), Digital Co-label, Dynamic Grey

©Nokia Corporation

A-cover assembly and Digital Logo Label (Linus) of RH-13 (Variants)



Assembly Parts of RH-13 (Variants)

Item	Qty	Product code	Description	Value, Type
1001	1	9458356	A-cover assembly, Dynamic Grey	
		9497264	A-cover assembly, Silver	
1002	1	9370602	Digital Logo Label (Linus) DG	
		9370958	Digital Logo Label (Linus) SV	
		9370614	Cingular Wireless Logo Label (Linus) DG	
		9370932	Cingular Wireless Logo Label (Linus) SV	
		9370667	Fido (Microcell) Logo Label DG	
		9370957	Fido (Microcell) Logo Label SV	

©Nokia Corporation